

Investor Meetings

May 2010

Sustainable
advantage



Forward-Looking Statements

ZECJ-FIN-21

PUBLIC



This presentation includes forward-looking statements within the meaning of the Private Securities Litigation Reform Act of 1995, that are subject to risks and uncertainties. The factors that could cause actual results to differ materially from these forward-looking statements include those discussed herein as well as those discussed in (1) Exelon's 2009 Annual Report on Form 10-K in (a) ITEM 1A. Risk Factors, (b) ITEM 7. Management's Discussion and Analysis of Financial Condition and Results of Operations and (c) ITEM 8. Financial Statements and Supplementary Data: Note 18; (2) Exelon's First Quarter 2010 Quarterly Report on Form 10-Q in (a) Part II, Other Information, Item 1A. Risk Factors and (b) Part I, Financial Information, Item 1. Financial Statements: Note 12 and (3) other factors discussed in filings with the Securities and Exchange Commission (SEC) by Exelon Corporation, Commonwealth Edison Company, PECO Energy Company and Exelon Generation Company, LLC (Companies). Readers are cautioned not to place undue reliance on these forward-looking statements, which apply only as of the date of this presentation. None of the Companies undertakes any obligation to publicly release any revision to its forward-looking statements to reflect events or circumstances after the date of this presentation.

This presentation includes references to adjusted (non-GAAP) operating earnings and non-GAAP cash flows that exclude the impact of certain factors. We believe that these adjusted operating earnings and cash flows are representative of the underlying operational results of the Companies. Please refer to the appendix to this presentation for a reconciliation of adjusted (non-GAAP) operating earnings to GAAP earnings. Please refer to the footnotes of the following slides for a reconciliation non-GAAP cash flows to GAAP cash flows.



Important Information

Earnings Guidance:

This presentation includes earnings guidance as presented on April 23, 2010. Exelon is not updating those presentations or re-affirming the previously-disclosed guidance by including it in this presentation, which is unchanged from the prior presentations. Exelon only updates its earnings guidance in its quarterly earnings releases or in a public statement.

Hedging Disclosures:


Slides 31-39 are intended to provide additional information regarding the hedging program at Exelon Generation and to serve as an aid for the purposes of modeling Exelon Generation's gross margin (operating revenues less purchased power and fuel expense). The information on those slides is not intended to represent earnings guidance or a forecast of future events. In fact, many of the factors that ultimately will determine Exelon Generation's actual gross margin are based upon highly variable market factors outside of our control. The information provided is as of March 31, 2010. Going forward, we plan to update the information on a quarterly basis.

Certain information on slides 31-39 is based upon an internal simulation model that incorporates assumptions regarding future market conditions, including power and commodity prices, heat rates, and demand conditions, in addition to operating performance and dispatch characteristics of our generating fleet. Our simulation model and the assumptions therein are subject to change. For example, actual market conditions and the dispatch profile of our generation fleet in future periods will likely differ – and may differ significantly – from the assumptions underlying the simulation results included in those slides. In addition, the forward-looking information included in the slides will likely change over time due to continued refinement of our simulation model and changes in our views on future market conditions.

2010 Operating Earnings Guidance

ZECJFIN-21

PUBLIC



Revising 2010 operating earnings guidance to \$3.70 – \$4.00/share ⁽¹⁾

(1) Refer to Earnings Release Attachments for additional details and to the Appendix for a reconciliation of adjusted (non-GAAP) operating EPS to GAAP EPS.




- **Operating results for 1Q10**
 - Operating earnings of \$1.00/share ⁽¹⁾
 - 92.3% nuclear capacity factor
 - Initial signs of economic recovery with improved load outlook in our service areas
- **Revising 2010 operating earnings guidance to \$3.70 - \$4.00/share ⁽¹⁾**
 - Expect 2Q10 earnings in the range of \$0.80 - \$0.90/share
 - On track to meet 2010 O&M targets
- **Improved cash flow from operations for 2010 ⁽²⁾**
 - Anticipate using cash and debt to make an incremental pension contribution of about \$500 million
- **Executing regulatory plan at PECO and ComEd**
 - PECO filed electric and gas distribution rate cases on March 31, 2010
 - ComEd is planning to file electric distribution rate case in 2Q10

(1) Refer to Earnings Release Attachments for additional details and to the Appendix for a reconciliation of adjusted (non-GAAP) operating EPS to GAAP EPS.

(2) Cash Flow from Operations primarily includes net cash flows provided by operating activities (excluding counterparty collateral activity) and net cash flows used in investing activities other than capital expenditures.

Note: Data contained on this slide is rounded.

1st Quarter (1Q) ⁽¹⁾




Lower ExGen margins are driving lower quarter over quarter earnings; however, 1Q10 earnings were higher than the guidance of \$0.85 - \$0.95/share

(1) Refer to Earnings Release Attachments for additional details and to the Appendix for a reconciliation of adjusted (non-GAAP) operating EPS to GAAP EPS.

Exelon Generation Operating EPS Contribution

ZECJ-FIN-21

PUBLIC



Key Drivers – 1Q10 vs. 1Q09 ⁽¹⁾

- Unfavorable market/portfolio conditions: \$(0.05)
- Lower energy prices under the PECO PPA, offset at PECO: \$(0.05)
- Lower nuclear volume: \$(0.04)
- Higher O&M, primarily due to higher nuclear outage days, partially offset by cost management initiatives: \$(0.04)
- Higher nuclear fuel costs: \$(0.03)

Outage Days ⁽²⁾	1Q09	1Q10
Refueling	34	101
Non-refueling	13	5

(1) Refer to the Earnings Release Attachments for additional details and to the Appendix for a reconciliation of adjusted (non-GAAP) operating EPS to GAAP EPS.

(2) Outage days exclude Salem.

Power Markets Update

ZECJ-FIN-21


PUBLIC




As of March 31, 2010

	2010	2011	2012
Reference Prices			
Ni-Hub ATC (\$/MWh)	\$29.73	\$30.71	\$32.19
PJM-W ATC (\$/MWh)	\$39.69	\$42.04	\$43.47
Percentage of Expected Generation Hedged ⁽¹⁾	95-98%	79-82%	48-51%
Midwest	92-95	79-82	52-55
Mid-Atlantic	96-99	81-84	44-47
South	97-100	68-71	41-44

AEP-Dayton / NiHub ATC Energy Basis



Capacity by Region Eligible for 2013/14 RPM Base Residual Auction ⁽²⁾



Key drivers expected to impact clearing prices:

- Rule change allowing existing demand response resources to bid in above \$0
- PJM raised the forecast for demand by 1.7%
- First Energy has joined PJM with a net load increase
- Delay in Susquehanna-Roseland Transmission line reduces available import capability into EMAAC
- Net CONE increasing by 15% and 23% for RTO and EMAAC, respectively

(1) See footnote 2 on page 34.

(2) All generation values are approximate and not inclusive of wholesale transactions.


Notes: All capacity values are in installed capacity terms (summer ratings) located in the areas. Reflects the retirements of Eddystone 1 and 2 and Cromby Station.

MAAC = Mid-Atlantic Area Council; EMAAC = Eastern MAAC; MAAC area encompasses EMAAC

ComEd Operating EPS Contribution

ZECJ-FIN-21

PUBLIC




Key Drivers – 1Q10 vs. 1Q09 ⁽¹⁾

- Uncollectible expense rider: \$0.06
- Lower O&M primarily due to cost management initiatives: \$0.03
- '09 benefit from Illinois tax ruling, which was later reversed in 3Q09: \$(0.05)

	1Q10		
	<u>Actual</u>	<u>Normal</u>	<u>% Change</u>
Heating Degree Days	3,110	3,208	(3.1)%

(1) Refer to the Earnings Release Attachments for additional details and to the Appendix for a reconciliation of adjusted (non-GAAP) operating EPS to GAAP EPS.

Weather-Normalized Load Year-over-Year ⁽⁴⁾



Key Economic Indicators

	Chicago
Unemployment rate ⁽¹⁾	10.9%
2010 annualized growth in gross domestic/metro product ⁽²⁾	2.9%
1/10 Home price index ⁽³⁾	(4.4)%

- (1) Source: Illinois Dept. of Employment Security (February 2010)
 (2) Source: Global Insight (March 2010)
 (3) Source: S&P Case-Shiller Index
 (4) Not adjusted for leap year effect

Weather-Normalized Load

	2009 ⁽⁴⁾	1Q10	2010E
Average Customer Growth	(0.4)%	(0.1)%	0.1%
Average Use-Per-Customer	<u>(1.0)%</u>	<u>0.2%</u>	<u>0.1%</u>
Total Residential	(1.4)%	0.1%	0.2%
Small C&I	(2.2)%	(1.7)%	0.4%
Large C&I	(6.7)%	(1.1)%	1.7%
All Customer Classes	(3.3)%	(0.8)%	0.8%

Note: C&I = Commercial & Industrial


- **Successfully closed refinancing of \$1 billion revolving credit facility on March 25th**
 - 3-year unsecured facility; initial term to expire 3/25/13
 - Use for general corporate purposes and letters of credit
 - Replaces previous \$952 million facility that was due to expire on 2/16/11
- **Moved the bar on market pricing**
 - Undrawn fee of 0.375%; fully drawn fee of LIBOR + 2.25%
 - Refinancing deals for similar rated utilities launched late last year priced approximately 0.50-0.75% higher (drawn fee)
- **Reflects strong relationships with large, diverse bank group**
 - 22 banks in facility – none with exposure of more than 6%
 - Syndication 1.6x oversubscribed

One of the largest utility bank refinancings launched to-date in 2010,
with strong participation and new benchmark pricing

PECO Operating EPS Contribution

ZEC-I-FIN-21

PUBLIC




Key Drivers – 1Q10 vs. 1Q09 ⁽¹⁾

- Lower energy prices paid to Generation under the PPA, offset at Generation: \$0.05
- Increased storm costs: \$(0.01)
- CTC amortization: \$(0.04)

	1Q10		
	<u>Actual</u>	<u>Normal</u>	<u>% Change</u>
Heating Degree Days	2,411	2,510	(3.9)%

(1) Refer to the Earnings Release Attachments for additional details and to the Appendix for a reconciliation of adjusted (non-GAAP) operating EPS to GAAP EPS.

Weather-Normalized Load Year-over-Year ⁽³⁾



Key Economic Indicators

Philadelphia

Unemployment rate ⁽¹⁾	9.2%
2010 annualized growth in gross domestic/metro product ⁽²⁾	0.8%

(1) Source: U.S Dept. of Labor (PHL - February 2010)

(2) Source: Moody's Economy.com (March 2010)

(3) Not adjusted for leap year effect

Weather-Normalized Electric Load

	2009 ⁽³⁾	1Q10	2010E
Average Customer Growth	(0.2)%	(0.2)%	(0.0)%
Average Use-Per-Customer	<u>(2.1)%</u>	<u>2.1%</u>	<u>1.2%</u>
Total Residential	(2.3)%	1.8%	1.1%
Small C&I	(2.7)%	(0.9)%	(0.2)%
Large C&I	(3.0)%	0.1%	(0.3)%
All Customer Classes	(2.6)%	0.5%	0.3%

Note: C&I = Commercial & Industrial

PECO – Electric & Gas Distribution Rate Case Filings

ZECU-FIN-21

PUBLIC



On March 31, PECO filed electric and gas distribution rate cases

- First electric distribution rate case since 1989
 - Act 129 energy efficiency and smart meter costs recovered separately through rider
- Last gas delivery rate case in 2008

Rate Case Request	Electric	Gas
Docket #	R-2010-216-1575	R-2010-216-1592
Test Year	2010 ⁽¹⁾	2010 ⁽¹⁾
Rate Base	\$3,236 million	\$1,100 million
Common Equity Ratio	53.18%	53.18%
Requested Returns	ROE: 11.75% ROR: 8.95%	ROE: 11.75% ROR: 8.95%
Revenue Requirement Increase	\$316 million	\$44 million
2011 Proposed Distribution Price Increase as % of Overall Customer Bill	6.94% ⁽²⁾	5.28%

The PAPUC has a nine-month process for litigation of the rate case filings

(1) With pro forma adjustments.

(2) Excluding Alternative Energy Portfolio Standards and default service surcharge.

Note: Electric and gas rate case filings available on PAPUC website or www.peco.com/know.

2010 Projected Sources and Uses of Cash

ZEC-1-FIN-21

PUBLIC



(\$ millions)

	ComEd			Exelon ⁽⁹⁾
Beginning Cash Balance ⁽¹⁾				\$1,050
Cash Flow from Operations ⁽¹⁾⁽²⁾	975	1,050	2,475	4,600
CapEx (excluding Nuclear Fuel, Nuclear Upgrades and Solar Project, Utility Growth CapEx)	(675)	(400)	(775)	(1,900)
Nuclear Fuel	n/a	n/a	(850)	(850)
Dividend ⁽³⁾				(1,400)
Nuclear Upgrades and Solar Project	n/a	n/a	(350)	(350)
Utility Growth CapEx ⁽⁴⁾	(250)	(100)	n/a	(350)
Net Financing (excluding Dividend):				
Planned Debt Issuances ⁽⁵⁾⁽⁶⁾	500	--	250	750
Planned Debt Retirements ⁽⁷⁾	(225)	(400)	--	(1,025)
Other ⁽⁸⁾	(75)	175	--	(25)
Ending Cash Balance ⁽¹⁾				\$500

(1) Excludes counterparty collateral activity.

(2) Cash Flow from Operations primarily includes net cash flows provided by operating activities and net cash flows used in investing activities other than capital expenditures. Cash Flow from Operations for PECO and Exelon includes \$551 million for competitive transition charges.

(3) Assumes 2010 dividend of \$2.10/share. Dividends are subject to declaration by the Board of Directors.

(4) Represents new business and smart grid/smart meter investment.

(5) Excludes Exelon Generation's \$212 million and ComEd's \$191 million of tax-exempt bonds that are backed by letters of credit (LOCs). Excludes PECO's \$225 million Accounts Receivable (A/R) Agreement with Bank of Tokyo. Assumes PECO's A/R Agreement is extended in accordance with its terms beyond September 16, 2010.

(6) Exelon Generation's financing includes \$250 million of debt to refinance a portion of Exelon Corp's \$400 million maturity.

(7) Excludes Exelon Generation's and ComEd's tax-exempt bonds. PECO's planned debt retirement of \$400 million represents the final retirement of the PECO Energy Transition Trust.

(8) "Other" includes PECO Parent Receivable, proceeds from options and expected changes in short-term debt.

(9) Includes cash flow activity from Holding Company, eliminations, and other corporate entities.




Appendix

2010 Events of Interest




ZEC/JFIN-21

PUBLIC



	Q1	Q2	Q3	Q4
		RPM Base Residual Auction (May)		
	Uncollectibles rider tariff (2/2)	Illinois Power Agency supply procurement RFP (4/28, ICC decision to follow)		
	Illinois Primaries (2/2)	Electric distribution rate case filing (2Q)		Illinois Elections (11/2)
	Electric and gas distribution rate case filings (3/31)	Procurement RFP (May, results in June)	Procurement RFP (Sep., results in Oct.)	
		Pennsylvania Primaries (5/18)		Pennsylvania Elections (11/2)

Available Capacity Under Bank Facilities as of April 15, 2010

(\$ millions)	 An Exelon Company	 An Exelon Company	 An Exelon Company	Exelon ⁽³⁾
Aggregate Bank Commitments ⁽¹⁾	\$1,000	\$574	\$4,834	\$7,365
Outstanding Facility Draws	--	--	--	--
Outstanding Letters of Credit	(261)	(3)	(163)	(431)
Available Capacity Under Facilities ⁽²⁾	739	571	4,671	6,934
Outstanding Commercial Paper	(164)	--	--	(164)
Available Capacity Less Outstanding Commercial Paper	\$575	\$571	\$4,671	\$6,770

Exelon bank facilities are largely untapped

(1) Excludes previous commitment from Lehman Brothers Bank and commitments from Exelon's Community and Minority Bank Credit Facility.

(2) Available Capacity Under Facilities represents the unused bank commitments under the borrower's credit agreements net of outstanding letters of credit and facility draws. The amount of commercial paper outstanding does not reduce the available capacity under the credit agreements.

(3) Includes other corporate entities.

Projected 2010 Key Credit Measures

ZEOJ-FIN-21

PUBLIC



		With PPA & Pension / OPEB ⁽¹⁾	Without PPA & Pension / OPEB ⁽²⁾	Moody's Credit Ratings ⁽³⁾	S&P Credit Ratings ⁽³⁾	Fitch Credit Ratings ⁽³⁾
Exelon Consolidated:	FFO / Interest	7.1x	8.0x	Baa1	BBB-	BBB+
	FFO / Debt	30%	41%			
	Rating Agency Debt Ratio	56%	47%			
ComEd:	FFO / Interest	5.2x	4.7x	Baa1	A-	BBB+
	FFO / Debt	21%	23%			
	Rating Agency Debt Ratio	48%	43%			
PECO:	FFO / Interest	5.0x	5.1x	A2	A-	A
	FFO / Debt	23%	26%			
	Rating Agency Debt Ratio	49%	45%			
Generation:	FFO / Interest	11.4x	20.9x	A3	BBB	BBB+
	FFO / Debt	47%	94%			
	Rating Agency Debt Ratio	45%	29%			
Generation / Corp:	FFO / Interest	9.4x	14.3x			
	FFO / Debt	39%	68%			
	Rating Agency Debt Ratio	68%	54%			

Notes: Exelon and PECO metrics exclude securitization debt. See following slide for FFO (Funds from Operations)/Interest, FFO/Debt and Adjusted Book Debt Ratio reconciliations to GAAP.

(1) FFO/Debt metrics include the following standard adjustments: debt equivalents for PV of Operating Leases, PPAs, unfunded Pension and OPEB obligations (after-tax), Capital Adequacy for Energy Trading, and other minor debt equivalents.

(2) Excludes items listed in note (1) above.

(3) Current senior unsecured ratings for Exelon and Exelon Generation and senior secured ratings for ComEd and PECO as of April 20, 2010.

FFO Calculation and Ratios

ZEC-J-FIN-21

PUBLIC



FFO Calculation

Net Cash Flows provided by Operating Activities

- +/- Change in Working Capital
- + Other Non-Cash items ⁽¹⁾
- AFUDC/Cap. Interest
- Decommissioning activity
- PECO Transition Bond Principal Paydown

= FFO

FFO Interest Coverage

$$\frac{\text{FFO} + \text{Adjusted Interest}}{\text{Adjusted Interest}}$$

Net Interest Expense

- PECO Transition Bond Interest Expense
- + AFUDC & Capitalized interest
- + 6% interest on Present Value (PV) of Operating Leases
- + Interest on imputed debt related to PV of Purchased Power Agreements (PPA)

= Adjusted Interest

Debt to Total Cap

$$\frac{\text{Adjusted Book Debt}}{\text{Total Adjusted Capitalization}}$$

$$\frac{\text{Rating Agency Debt}}{\text{Rating Agency Capitalization}}$$

Debt:

- + LTD
- + STD
- Transition Bond Principal Balance

Adjusted Book Debt

- + Off-balance sheet debt equivalents ⁽²⁾

= Adjusted Book Debt

= Rating Agency Debt

Capitalization:

- + Total Shareholders' Equity
- + Preferred Securities of Subsidiaries
- + Adjusted Book Debt

Total Adjusted Capitalization

- + Off-balance sheet debt equivalents ⁽²⁾

= Total Adjusted Capitalization

= Total Rating Agency Capitalization

FFO Debt Coverage

$$\frac{\text{FFO}}{\text{Adjusted Debt}^{(3)}}$$

Debt:

- + LTD
- + STD
- PECO Transition Bond Principal Balance
- + Off-balance sheet debt equivalents ⁽²⁾

= Adjusted Debt

(1) Reflects depreciation adjustment for PPAs and operating leases.

(2) Metrics are calculated in presentation unadjusted and adjusted for debt equivalents for PV of Operating Leases, PPAs, unfunded Pension and OPEB obligations (after-tax), Capital Adequacy for Energy Trading, and other minor debt equivalents.

(3) Uses current year-end adjusted debt balance.

1Q GAAP EPS Reconciliation

ZEC.FIN-21

PUBLIC



<u>Three Months Ended March 31, 2009</u>	<u>ExGen</u>	<u>ComEd</u>	<u>PECO</u>	<u>Other</u>	<u>Exelon</u>
2009 Adjusted (non-GAAP) Operating Earnings (Loss) Per Share	\$0.91	\$0.17	\$0.17	\$(0.05)	\$1.20
Mark-to-market adjustments from economic hedging activities	0.17	-	-	-	0.17
2007 Illinois electric rate settlement	(0.03)	-	-	-	(0.03)
Unrealized losses related to nuclear decommissioning trust funds	(0.05)	-	-	-	(0.05)
NRG acquisition costs	-	-	-	(0.01)	(0.01)
Impairment of certain generating assets	(0.20)	-	-	-	(0.20)
1Q09 GAAP Earnings (Loss) Per Share	\$0.80	\$0.17	\$0.17	\$(0.06)	\$1.08

<u>Three Months Ended March 31, 2010</u>	<u>ExGen</u>	<u>ComEd</u>	<u>PECO</u>	<u>Other</u>	<u>Exelon</u>
2010 Adjusted (non-GAAP) Operating Earnings (Loss) Per Share	\$0.66	\$0.19	\$0.17	\$(0.02)	\$1.00
Mark-to-market adjustments from economic hedging activities	0.21	-	-	-	0.21
Unrealized gains related to nuclear decommissioning trust funds	0.03	-	-	-	0.03
Retirement of fossil generating units	(0.01)	-	-	-	(0.01)
Non-cash charge resulting from healthcare legislation	(0.04)	(0.02)	(0.02)	(0.02)	(0.10)
1Q10 GAAP Earnings (Loss) Per Share	\$0.85	\$0.17	\$0.15	\$(0.04)	\$1.13

NOTE: All amounts shown are per Exelon share and represent contributions to Exelon's EPS.

Retiring Cromby Station and Eddystone Units 1&2

ZECUFIN21

PUBLIC



- Cromby Station
 - Placed in service in 1954-55
 - 144 MW coal and 201 MW oil/gas
- Eddystone Station Units 1&2
 - Placed in service in 1960
 - 588 MW of coal capacity at units 1&2
 - Units 3&4 (760 MW oil/gas) and 4 peaking units (60 MW) will continue to operate
- Retirements yield ~\$165-200 million incremental NPV vs. continuing to operate the units
 - Avoids ongoing operating and capital costs on aging units
 - Cromby and Eddystone have not cleared in the past two RPM capacity auctions (2011/12 and 2012/13)
 - Anticipates more stringent environmental regulations and avoids related capital investment
- Agreed to delay deactivation of two units to maintain reliability, provided receipt of required environmental permits and adequate cost-based compensation
 - Maintaining scheduled retirement date of 5/31/11 for Cromby 1 and Eddystone 1; delaying Cromby 2 to 5/31/12 and Eddystone 2 to 12/31/13
 - Pursuing RMR to compensate for cost of maintaining and operating units beyond 5/31/11

Ongoing Savings Impact

(\$ in millions)	<u>2010</u>	<u>2011</u>	<u>2012</u>
Revenue Net Fuel	\$0	\$(50)	\$(80)
Operating O&M Savings	24	46	75
Depreciation Savings	<u>0</u>	<u>22</u>	<u>45</u>
Incremental Pre-Tax Operating Income	<u>\$24</u>	<u>\$18</u>	<u>\$40</u>
Capital Expenditure Reduction	\$40	\$85	\$80

Smaller, less efficient coal plants are challenged by economic and environmental considerations

Illinois Power Agency (IPA) RFP Procurement

ZECU-FIN-21

PUBLIC



2010 RFP – Key Dates

Event	Standard Product	RECs ⁽¹⁾
✓ Potential bidders submit qualifying proposals	April 7 – 13	April 7 – 20
✓ Bids due	April 28	May 18
✓ Procurement administrator submits confidential report	By April 29	By May 19
✓ ICC decision on RFP results and public release of wholesale energy prices	By May 3	By May 24
✓ ComEd files retail generation rates	By May 5	By May 26

- On December 28, 2009, the Illinois Commerce Commission approved the IPA's Updated Procurement Plan for the 2010/11 planning period, which includes the procurement of:
 - Monthly peak and off-peak standard wholesale block energy products
 - 1,887,014 MWh of Renewable Energy Credits (RECs)
 - 1,400,000 MWh/year of renewable energy and associated RECs through 20-year contracts beginning delivery in June 2012



Volume to be procured in the 2010 IPA Procurement Event (GWh)		
Delivery Period	Peak	Off-Peak
June 2010 - May 2011	5,528	4,344
June 2011 - May 2012	1,980	549

(1) Timeline and procurement administrator for long-term PPAs has not yet been determined by the IPA.

Note: Chart is for illustrative purposes only. Data on this slide is rounded.


ComEd Customer Usage Breakdown

ZECJ-FIN-21

PUBLIC



Customer Usage by Revenue Class



Top 380 Customer Usage by Segment

Manufacturing	52%
Government	13%
Health & Educational Services	12%
Finance, Professional & Business Services	11%
Trade, Transportation & Utilities	9%
Leisure & Hospitality	3%

Limited survey of select Large C&I customers has indicated an increase in production via longer production runs and additional shifts due to improved economic conditions for customers in the steel, automotive, and plastic industries

PECO Procurement Results

ZECLFIN-21

PUBLIC



PECO Procurement Plan ⁽¹⁾

Customer Class	Products
Residential	<ul style="list-style-type: none"> ✓75% full requirements ✓20% block energy ✓5% energy only spot
Small Commercial (peak demand <100 kW)	<ul style="list-style-type: none"> ✓90% full requirements ✓10% full requirements spot
Medium Commercial (peak demand >100 kW but <= 500 kW)	<ul style="list-style-type: none"> ✓85% full requirements ✓15% full requirements spot
Large Commercial & Industrial (peak demand >500 kW)	<ul style="list-style-type: none"> ✓Fixed-Priced Full requirements ⁽³⁾ ✓Hourly Full requirements

2011 Supply procured to date (including June and September 2009 RFPs)

Residential

- ✓Sept '09 RFP average price of \$79.96/MWh ⁽²⁾
- ✓June '09 RFP average price of \$88.61/MWh ⁽²⁾
- ✓49% of full requirements product procured
- ✓80 MW of block energy procured

Small and Medium Commercial

- ✓Sept '09 RFP average blended price of \$85.85/MWh ⁽²⁾
- ✓24% of Small Commercial full requirements product procured
- ✓16% of Medium Commercial full requirements product procured

May 24, 2010 RFP

Residential

- ✓23% of planned full requirements contracts (17 and 29-mo terms)
- ✓140 MW of baseload (24x7) block energy products (12, 24 and 60-mo duration)
- ✓40 MW of Jan-Feb 2011 on-peak block energy

Small Commercial

- ✓36% of planned full requirements contracts (17 and 29-mo term)

Medium Commercial

- ✓42% of planned full requirements contracts (17-mo term)

Large Commercial and Industrial

- ✓100% of planned Fixed - price full requirements contracts (12-mo term)

Next RFP to be held on May 24, 2010, with results public 30 days thereafter

(1) See PECO Procurement website (<http://www.pecoprocurement.com>) for additional details regarding PECO's procurement plan and RFP results.

(2) Wholesale prices; no Small/Medium Commercial products were procured in the June RFP.

(3) For Large C&I customers who have opted to participate in the Fixed-priced Full requirements product.

PECO – Timeline for Rate Cases

ZECU-FIN-21

PUBLIC



- Filed: March 31, 2010
- Opposing Parties' Testimony: June 2010
- Rebuttal Testimony: July 2010
- Hearings: August 2010
- Administrative Law Judge (ALJ) Orders: October 2010
- Final Orders Expected: December 2010
- New Rates Effective: January 1, 2011

Note: Dates are based on typical approach to rate cases but the Pennsylvania Public Utility Commission (PAPUC) will set the actual schedule. Expect schedule to be set at pre-hearing with ALJ around mid-May.


PECO Electric Residential Rate Increases 2010 to 2011

ZECJ-FIN-21

PUBLIC



Unit Rates (¢/kWh)




Notes:

- Rates effective January 1, 2010 include Act 129 Energy Efficiency surcharge of 2%.
- Act 129 Smart Meter surcharge will be calculated following approval of PECO's Smart Meter Plan expected in 2Q10. The Smart Meter surcharge, which will likely be effective 3Q10, is expected to be less than 1% and is not expected to increase until 2Q/3Q of 2011. As a result, the Smart Meter surcharge will have a minimal impact on rate increases effective January 1, 2011.
- Low income discounted rates were subsidized in the PPA in 2010 and will be recovered through distribution rates in 2011.

PECO Customer Usage Breakdown



Customer Usage by Revenue Class



Top 150 Customer Usage by Segment

Petroleum	22%
Manufacturing	18%
Health & Educational Services	18%
Transportation, Communication & Utilities	13%
Pharmaceuticals	12%
Finance, Insurance & Real Estate	9%
Other	7%
Retail Trade	2%

PECO's load is relatively diversified by customer class and industry; a slow recovery in the second half of 2010 is expected


ComEd and PECO Accounts Receivable

ZECJ-FIN-21

PUBLIC



ComEd Accounts Receivable (1)




% of AR

0-30 days

31-60 days

>60 days

PECO Accounts Receivable (1)



Both ComEd and PECO continue to see an improvement in accounts receivable aging

(1) Accounts receivable amounts include unbilled receivables and are gross of allowance for uncollectible accounts at ComEd and PECO and include, for PECO, pledged and long-term receivables.

Note: Data contained on this slide is rounded.



- **Exelon's 2010 adjusted (non-GAAP) operating earnings outlook excludes the earnings effects of the following:**
 - Mark-to-market adjustments from economic hedging activities
 - Unrealized gains and losses from nuclear decommissioning trust fund investments to the extent not offset by contractual accounting as described in the notes to the consolidated financial statements
 - Significant impairments of assets, including goodwill
 - Changes in decommissioning obligation estimates
 - Costs associated with the 2007 Illinois electric rate settlement agreement
 - Costs associated with ComEd's 2007 settlement with the City of Chicago
 - Costs associated with the retirement of fossil generating units
 - Non-cash charge resulting from passage of Federal health care legislation
 - Other unusual items
 - Significant future changes to GAAP

- **Operating earnings guidance assumes normal weather for remainder of the year**


- **Operating O&M target excludes the following items:**
 - Exelon Generation: Decommissioning accretion expense
 - ComEd: Impact of riders, primarily Rider EDA (Energy Efficiency and Demand Response Adjustment)
 - PECO: Impact of energy efficiency and smart grid/meter riders

Portfolio Management Objective

Align Hedging Activities with Financial Commitments



- **Exelon's hedging program is designed to protect the long-term value of our generating fleet and maintain an investment-grade balance sheet**
 - Hedge enough commodity risk to meet future cash requirements if prices drop
 - Consider: financing policy (credit rating objectives, capital structure, liquidity); spending (capital and O&M); shareholder value return policy
- **Consider market, credit, operational risk**
- **Approach to managing volatility**
 - Increase hedging as delivery approaches
 - Have enough supply to meet peak load
 - Purchase fossil fuels as power is sold
 - Choose hedging products based on generation portfolio – sell what we own



- **Power Team utilizes several product types and channels to market**
 - Wholesale and retail sales
 - Block products
 - Load-following products and load auctions
 - Put/call options
 - Heat rate options
 - Fuel products
 - Capacity
 - Renewable credits



- **Our normal practice is to hedge commodity risk on a ratable basis over the three years leading to the spot market**
 - Carry operational length into spot market to manage forced outage and load-following risks
 - By using the appropriate product mix, expected generation hedged approaches the mid-90s percentile as the delivery period approaches
 - Participation in larger procurement events, such as utility auctions, and some flexibility in the timing of hedging may mean the hedge program is not strictly ratable from quarter to quarter

**Percentage of Expected
Generation Hedged**

= $\frac{\text{Equivalent MWs Sold}}{\text{Expected Generation}}$

- How many equivalent MW have been hedged at forward market prices; all hedge products used are converted to an equivalent average MW volume
- Takes ALL hedges into account whether they are power sales or financial products

Exelon Generation Open Gross Margin and Reference Prices

ZECJ-FIN-21

PUBLIC



	2010	2011	2012
Estimated Open Gross Margin (\$ millions) ^(1,2)	\$5,050	\$4,900	\$4,750

Open gross margin assumes all expected generation is sold at the Reference Prices listed below

Reference Prices ⁽¹⁾

Henry Hub Natural Gas (\$/MMBtu)	\$4.48	\$5.34	\$5.79
NI-Hub ATC Energy Price (\$/MWh)	\$29.73	\$30.71	\$32.19
PJM-W ATC Energy Price (\$/MWh)	\$39.69	\$42.04	\$43.47
ERCOT North ATC Spark Spread (\$/MWh) ⁽³⁾	\$0.43	\$(0.42)	\$0.14

(1) Based on March 31, 2010 market conditions.

(2) Gross margin is defined as operating revenues less fuel expense and purchased power expense, excluding the impact of decommissioning and other incidental revenues. Open gross margin is estimated based upon an internal model that is developed by dispatching our expected generation to current market power and fossil fuel prices. Open gross margin assumes there is no hedging in place other than fixed assumptions for capacity cleared in the RPM auctions and uranium costs for nuclear power plants. Open gross margin contains assumptions for other gross margin line items such as various ISO bill and ancillary revenues and costs and PPA capacity revenues and payments. The estimation of open gross margin incorporates management discretion and modeling assumptions that are subject to change.

(3) ERCOT North ATC spark spread using Houston Ship Channel Gas, 7,200 heat rate, \$2.50 variable O&M.



	2010	2011	2012
Expected Generation (GWh) ⁽¹⁾	164,600	161,700	161,200
Midwest	98,600	98,100	97,000
Mid-Atlantic	58,000	56,600	56,600
South	8,000	7,000	7,600
Percentage of Expected Generation Hedged ⁽²⁾	95-98%	79-82%	48-51%
Midwest	92-95	79-82	52-55
Mid-Atlantic	96-99	81-84	44-47
South	97-100	68-71	41-44
Effective Realized Energy Price (\$/MWh) ⁽³⁾			
Midwest	\$46.50	\$44.50	\$44.50
Mid-Atlantic	\$36.00	\$58.00	\$51.50
ERCOT North ATC Spark Spread	\$0.50	\$0.50	\$(6.50)

- (1) Expected generation represents the amount of energy estimated to be generated or purchased through owned or contracted for capacity. Expected generation is based upon a simulated dispatch model that makes assumptions regarding future market conditions, which are calibrated to market quotes for power, fuel, load following products, and options. Expected generation assumes 10 refueling outages in 2010 and 11 refueling outages in 2011 and 2012 at Exelon-operated nuclear plants and Salem. Expected generation assumes capacity factors of 93.5%, 92.8% and 92.8% in 2010, 2011 and 2012 at Exelon-operated nuclear plants. These estimates of expected generation in 2011 and 2012 do not represent guidance or a forecast of future results as Exelon has not completed its planning or optimization processes for those years.
- (2) Percent of expected generation hedged is the amount of equivalent sales divided by the expected generation. Includes all hedging products, such as wholesale and retail sales of power, options, and swaps. Uses expected value on options. Reflects decision to permanently retire Cromby Station and Eddystone Units 1&2 as of May 31, 2011.
- (3) Effective realized energy price is representative of an all-in hedged price, on a per MWh basis, at which expected generation has been hedged. It is developed by considering the energy revenues and costs associated with our hedges and by considering the fossil fuel that has been purchased to lock in margin. It excludes uranium costs and RPM capacity revenue, but includes the mark-to-market value of capacity contracted at prices other than RPM clearing prices including our load obligations. It can be compared with the reference prices used to calculate open gross margin in order to determine the mark-to-market value of Exelon Generation's energy hedges.

Exelon Generation Gross Margin Sensitivities

(with Existing Hedges)

ZECJ-FIN-21

PUBLIC



	2010	2011	2012
Gross Margin Sensitivities with Existing Hedges (\$ millions)⁽¹⁾			
Henry Hub Natural Gas			
+ \$1/MMBtu	\$40	\$125	\$320
- \$1/MMBtu	\$(20)	\$(110)	\$(315)
<hr/>			
NI-Hub ATC Energy Price			
+\$5/MWH	\$20	\$125	\$235
-\$5/MWH	\$(15)	\$(115)	\$(225)
<hr/>			
PJM-W ATC Energy Price			
+\$5/MWH	\$5	\$75	\$175
-\$5/MWH	\$ -	\$(70)	\$(170)
<hr/>			
Nuclear Capacity Factor			
+1% / -1%	+/- \$30	+/- \$40	+/- \$45

(1) Based on March 31, 2010 market conditions and hedged position. Gas price sensitivities are based on an assumed gas-power relationship derived from an internal model that is updated periodically. Power prices sensitivities are derived by adjusting the power price assumption while keeping all other prices inputs constant. Due to correlation of the various assumptions, the hedged gross margin impact calculated by aggregating individual sensitivities may not be equal to the hedged gross margin impact calculated when correlations between the various assumptions are also considered.


Exelon Generation Gross Margin Upside / Risk

ZECJ-FIN-21

PUBLIC



(with Existing Hedges)



(1) Represents an approximate range of expected gross margin, taking into account hedges in place, between the 5th and 95th percent confidence levels assuming all unhedged supply is sold into the spot market. Approximate gross margin ranges are based upon an internal simulation model and are subject to change based upon market inputs, future transactions and potential modeling changes. These ranges of approximate gross margin in 2011 and 2012 do not represent earnings guidance or a forecast of future results as Exelon has not completed its planning or optimization processes for those years. The price distributions that generate this range are calibrated to market quotes for power, fuel, load following products, and options as of March 31, 2010.

Illustrative Example

ZECU-FIN-21

PUBLIC



of Modeling Exelon Generation 2010 Gross Margin (with Existing Hedges)

	Midwest	Mid-Atlantic	ERCOT
Step 1 Start with fleetwide open gross margin	<div> <div>←</div> <div>\$5.05 billion</div> <div>→</div> </div>		
Step 2 Determine the mark-to-market value of energy hedges	98,600GWh * 93% * (\$46.50/MWh-\$29.73/MWh) = \$1.54 billion	58,000GWh * 97% * (\$36.00/MWh-\$39.69/MWh) = \$(0.21 billion)	8,000GWh * 98% * (\$0.50/MWh-\$0.43/MWh) = \$0.00 billion
Step 3 Estimate hedged gross margin by adding open gross margin to mark-to-market value of energy hedges	Open gross margin: MTM value of energy hedges: Estimated hedged gross margin:	\$5.05 billion <u>\$1.54 billion + \$(0.21 billion) + \$0.00 billion</u> \$6.38 billion	

Market Price Snapshot


ZECU-FIN21

PUBLIC




Rolling 12 months, as of April 15, 2010. Source: OTC quotes and electronic trading system. Quotes are daily.


Forward NYMEX Natural Gas




Forward NYMEX Coal



PJM-West and Ni-Hub On-Peak Forward Prices



PJM-West and Ni-Hub Wrap Forward Prices



Market Price Snapshot


ZECU-FIN21

PUBLIC




Rolling 12 months, as of April 15, 2010. Source: OTC quotes and electronic trading system. Quotes are daily.


Houston Ship Channel Natural Gas Forward Prices



ERCOT North On-Peak Forward Prices



ERCOT North On-Peak v. Houston Ship Channel Implied Heat Rate



ERCOT North On Peak Spark Spread

Assumes a 7.2 Heat Rate, \$1.50 O&M, and \$.15 adder

